



# PHOSCRETE LABELS, SHELF LIFE, AND DISPOSAL BEST PRACTICES

## Phoscrete Labels:

All components are labeled with a "use by" date, printed at the bottom right corner of every package. Following is the label design for all Phoscrete MPC products. **Always match the color of the bag and jug!**

<p><b>DRY MIX</b> Bag Weight 50 lbs. / 22.5 kg Coverage 0.45 ft<sup>2</sup> / 0.0127 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20), irritate skin and eyes (D22). Carcinogen. May cause reproductive harm (D28). See label for reproductive hazard signs and precaution statements.</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 10 lbs. / 4.5 kg Liquid Measure 107 fl. oz. / 3.1 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Causes skin irritation (D21). Causes skin corrosion/burns (D23). May damage concrete (D24).</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 22 lbs. / 10 kg Coverage 0.20 ft<sup>2</sup> / 0.0056 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20), irritate skin and eyes (D22). Carcinogen. May cause reproductive harm (D28). See label for reproductive hazard signs and precaution statements.</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 4.4 lbs. / 2.0 kg Liquid Measure 45 fl. oz. / 1.3 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Causes skin irritation (D21). Causes skin corrosion/burns (D23). May damage concrete (D24).</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 50 lbs. / 22.5 kg Coverage 0.43 ft<sup>2</sup> / 0.0121 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20), irritate skin and eyes (D22). Carcinogen. May cause reproductive harm (D28). See label for reproductive hazard signs and precaution statements.</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 7 lbs. / 3.175 kg Liquid Measure 106 fl. oz. / 3.1 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Causes skin irritation (D21). Causes skin corrosion/burns (D23). May damage concrete (D24).</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 22 lbs. / 10 kg Coverage 0.19 ft<sup>2</sup> / 0.0053 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20), irritate skin and eyes (D22). Carcinogen. May cause reproductive harm (D28). See label for reproductive hazard signs and precaution statements.</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 3 lbs. / 1.36 kg Liquid Measure 47 fl. oz. / 1.4 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix info [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Causes skin irritation (D21). Causes skin corrosion/burns (D23). May damage concrete (D24).</p> <p><b>STORAGE: ALL MATERIALS INDOORS</b></p> <p>USE BY:</p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>



# PHOSCRETE LABELS, SHELF LIFE, AND DISPOSAL

<p><b>DRY MIX</b> Bag Weight 50 lbs / 22.5 kg Coverage 0.45 ft<sup>2</sup> / 0.0127 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20). Irritates skin and respiratory passages. May cause reproductive, target organ, and aspiration toxicity.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 10 lbs / 4.5 kg Liquid Measure 107 fl. oz. / 3.1 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Contains phosphoric acid (D20). Causes skin irritation/burns, eye damage, corrosion to metals.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 22 lbs / 10 kg Coverage 0.20 ft<sup>2</sup> / 0.0056 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20). Irritates skin and respiratory passages. May cause reproductive, target organ, and aspiration toxicity.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 4.2 lbs / 1.9 kg Liquid Measure 45 fl. oz. / 1.3 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Contains phosphoric acid (D20). Causes skin irritation/burns, eye damage, corrosion to metals.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 50 lbs / 22.7 kg Coverage 0.45 ft<sup>2</sup> / 0.0127 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20). Irritates skin and respiratory passages. May cause reproductive, target organ, and aspiration toxicity.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 8.3 lbs / 3.8 kg Liquid Measure 122 fl. oz. / 3.6 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Contains phosphoric acid (D20). Causes skin irritation/burns, eye damage, corrosion to metals.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 22 lbs / 10 kg Coverage 0.20 ft<sup>2</sup> / 0.0056 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20). Irritates skin and respiratory passages. May cause reproductive, target organ, and aspiration toxicity.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 3.6 lbs / 1.63 kg Liquid Measure 54 fl. oz. / 1.6 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Contains phosphoric acid (D20). Causes skin irritation/burns, eye damage, corrosion to metals.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>
<p><b>DRY MIX</b> Bag Weight 50 lbs / 22.7 kg Coverage 0.45 ft<sup>2</sup> / 0.0127 m<sup>2</sup></p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>HEALTH HAZARD</b> May irritate eyes (D20). Irritates skin and respiratory passages. May cause reproductive, target organ, and aspiration toxicity.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>	<p><b>ACTIVATOR</b> Jug Weight 8.3 lbs / 3.8 kg Liquid Measure 122 fl. oz. / 3.6 liters</p> <p><b>MIX RATIO:</b> [1] Bag Dry Mix INTO [1] Jug Activator</p> <p>scan to visit phoscrete and learn best practices for installation success.</p> <p><b>DANGER - CORROSION</b> Contains phosphoric acid (D20). Causes skin irritation/burns, eye damage, corrosion to metals.</p> <p><b>STORAGE</b> STORE ALL MATERIALS IN DOORS</p> <p><b>USE BY:</b></p> <p>Manufactured in the USA by Phoscrete Corporation info@phoscrete.com</p>



# PHOSCRETE LABELS, SHELF LIFE, AND DISPOSAL



## Shelf Life (when properly stored)

Product / Component	Shelf Life	Storage Conditions
Phoscrete Dry Mix [and admixtures]	2 years	indoors, low humidity
Phoscrete Activator	1 year	minimize temperature swings

## Use of Expired Material?

**Phoscrete STRONGLY advises against installing expired material, material improperly stored, or material opened or damaged.** If you cannot avoid installing a questionable material, first mix a full kit in your shop and observe mixing properties, time of set, and maximum temperature to verify the material is consistent with fresh product.



### Disposal

Hardened Phoscrete concrete and Dry Mix powder can be disposed in any dumpster or landfill. Formula 1 Liquid Activator must be neutralized before disposing. Refer to [Phoscrete Best Practices - Activator Safe Disposal](#)<sup>i</sup> at [phoscrete.com](http://phoscrete.com). Contact your Phoscrete representative with any questions regarding disposal of expired material. Always follow local environmental regulations when disposing of Phoscrete.

### Health, Safety, and Environmental

Read, understand, and follow all Installation Instructions, Safety Data Sheets, and product label information for this product prior to use. The latest SDS can be obtained by visiting [phoscrete.com](http://phoscrete.com), emailing your request to [safety@phoscrete.com](mailto:safety@phoscrete.com), or calling +1 561-420-0595. Use only as directed. For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC® 24 Hours 800-424-9300 / +1 703-527-3887. Contracted by Phoscrete, CCN 866520.

---

<sup>i</sup> <https://www.phoscrete.com/phoscrete-best-practices-activator-safe-disposal/>